# DC Process



# Mini-Max M235 Series Digital Panel Meter

- Minimum Depth Indicator Less than 2.5" (60mm) of Space Required Behind the Panel
- Stackable Mounting Bracket for Easy I nstallation
- LCD: 3-1/2 Digit, 0.5" (12.7mm) High LCD Display with Optional Negative Image, Bright Red Backlighting
- LED: 3-1/2 Digit, 0.56" (14.2mm) High Display
- Limited Range Display Scaling and Adjustable Offset
- Standard Screw Terminals for Easy Installation
- Four Ranges: 4-20DCmA, 1-5VDC, 0-10VDC, 0-100VDC
- 85-250VAC or optional 9-32VDC Power Supply
- Scaled 0-100%

Simpson's Mini-Max Process Indicators provide high quality, accuracy and reliability in a compact, 60mm deep case.

LCD (Liquid Crystal Display) Units offer a 3-1/2 digit, 0.5" (12.7mm) LCD display with an optional bright red, negative image, backlight.

LED (Light Emitting Diode) Units offer a 3 1/2 digit, 0.56" (14.2mm) Display


Installation and Panel Cutout -






All units feature user-selectable decimal point, auto zero and limited scaling capabilities.

A unique mounting bracket is provided to allow for vertical or horizontal stacking of multiple indicators. All Mini-Max units feature a 3/64 DIN, high-impact plastic case. The LCD units have a clear viewing window, and the LED units have a red viewing window.





#### **Mounting Requirements**

Insert the Mini-Max through the panel, and then slide the mounting bracket onto the Mini-Max. The mounting bracket allows Mini-Max units to be stacked side-to-side or top-to-bottom and maintain the DIN standard panel arrangements in 24mm by 72mm multiples. Panel cutout instructions for stacking multiple units are provided under "stacking features."

## - Specifications -

#### DISPLAY

Type: 7-segment LCD or LED Height: LCD 0.5" (12.7mm) LED 0.56" (14.2mm)

Decimal point: 3-position selectable

Over-range indication:

LCD Most significant digit = "1" LED Blinking display

LCD Backlighting: Optional negative image red backlight Polarity: Auto with "-" indication, "+" implied

#### POWER REQUIREMENTS

AC Volt: 85-250VAC @40-440Hz DC Volt: 9-32VDC

### Power Consumption: (Non Fused)

85-250VAC: LCD 4.0VA (2.4W) max LED 3.6VA (2.16W) max 9-32VDC: LCD 3W max LFD 2W max

Process

Range	Resolution	Voltage	Max Input
_	M235	Drop	
4-20 mA	0.10%	200 mVdc	60 mA
Range	Resolution	Input	Maximum
		Impedance	Input
1-5 VDC	0.10%	10 MEG	250 Vdc
0-10 VDC	0.10%	10 MEG	250 Vdc
0-100 VDC	0.10%	10 MEG	250 Vdc

Isolation: 250 Vrms Max

NOISE REJECTION CMRR: 86dB typical

ACCURACY @ 25°C ±(0.1% of reading ± 1 count)

ENVIRONMENTAL Operating Temperature: 0 to 55°C Storage Temperature: -10 to 60°C Relative Humidity: 0 to 85% non condensing @ 40°C Excitation Option: 12Vdc ±10%, 24Vdc ± 10% 25mAdc **Temperature Coefficient:** (0.2% of reading ±0.5 digits)/ °C

Warmup time: Less than 20 minutes


#### ANALOG TO DIGITAL CONVERSION Technique: Integrating Dual Slope Rate: 3 samples/second-typical


MECHANICAL

Bezel: 0.95" x 2.84" (24mm x 72mm) Depth: 2.36" (60mm) Panel Cutout: 0.88" x 2.68" (22.2mm x 68mm) Weight: LCD 3.50z (99.2g) LED 2.60z (74g)


**Case Material:** 94-0,UL-rated, glass-filled thermoplastic

**INPUTS:** DC Process





### **Display Scaling**



Using a screwdriver or thumbnail, spread the tabs on each side of the case to unlock the top half. Lift the rear of the top half and slide it away from the front of the meter.

#### Scale Adjustment:

Mini-Max indicators have limited range coarse and fine adjustments for display scaling. There are no optional connections required for these to function. The meter can be scaled down to 1/2 the value of the input, or scaled up to 2 times the value of the input, or a maximum reading of 1.999, whichever is lower.

Example: A 2 volt input has a maximum reading of 1.999 counts, so you cannot double the 2 volts, but you can make a 1 volt input read 1.999.

### LCD VERSIONS

#### Scale Adjustment:

The "Coarse" adjustment R12 will allow a limited range of adjustment values. The "Fine" adjustment R9 allows for an adjustment range of approximately 1% of the "Coarse" adjustment. Apply the full scale input to the meter. Adjust R12 to be within 1% of the desired result. Then use R9 to obtain the final desired result.

#### **Offset Adjustment:**

The "Coarse" adjustment R7 will allow approximately 250 counts of offset adjustment. The "Fine" adjustment R6 allows for an adjustment range of approximately 1% of the "Coarse" adjustment. Apply the offset input signal (e.g. 4mA on the 4-20 mA scale). Adjust R7 to within 1% of the desired value, then use R6 to obtain the final desired result.


#### LED VERSIONS

#### Scale Adjustment:


The "Coarse" adjustment RV1 will allow a limited range of adjustment values. The "Fine" adjustment RV2 allows for an adjustment range of approximately 1% of the "Coarse" adjustment. Apply the full scale input to the meter. Adjust RV1 to be within 1% of the desired result. Then use RV2 to obtain the final desired result.

#### **Offset Adjustment:**

The "Coarse" adjustment RV3 will allow approximately 250 counts of offset adjustment. The "Fine" adjustment RV4 allows for an adjustment range of approximately 1% of the "Coarse" adjustment. Apply the offset input signal (e.g. 4mA on the 4-20 mA scale). Adjust RV3 to within 1% of the desired value, then use RV4 to obtain the final desired result.



Note: Any physical damage to the meter during adjustment will void the warranty.




**Note:** Any physical damage to the meter during adjustment will void the warranty.

### **Stacking Features**

The mounting brackets, included with every Mini-Max, can be connected together. Multiple units can be mounted in a single opening, allowing perfect alignment.

To punch one hole for multiple units, be sure to adjust the standard panel cutout dimensions as shown here; otherwise the meters will not fit properly in the hole.

Mounting multiple units is quick and easy. Install the first meter (bottom unit first if stacking vertically). Position the next mounting bracket snugly against the first one, and slide the second meter into place. Repeat for remaining units.



## Application Example –

EXCITATION POWER Remote temperature (0-800°) monitoring of a liquid storage tank is required. Circuitry within the Thermal Protection Head converts the thermocouples mV output to a DC current ranging from 4mA to 20mA. This allows the Mini-Max to be in a remote location, such as a control room. The Mini-Max must be scaled prior to connecting the 4-20 mA signal. Scaling causes a 4mA output to read zero on THERMAL the display and a 20mA output to read 800 on the dis-4-20 mA OUT PROTECTION play. After scaling, the 4-20mA signal is connected to HEAD the IN HI and IN LO terminals. The Mini-Max will then display the tank temperature. THERMOCOUPLE LIQUID STORAGE TANK

